BEST AVAILABLE COPY

PATENT ABSTRACTS OF JAPAN

(11)Publication number:

2002-230246

(43) Date of publication of application: 16.08.2002

(51)Int.CI.

G06F 17/60

(21)Application number: 2001-030381

(71)Applicant: HITACHI LTD

(22)Date of filing:

07.02.2001

(72)Inventor: SATO TATSUHIRO


KANDA CHIKAYO SASAKI TOSHIRO

(54) RESOURCE ALLOCATION MANAGEMENT SYSTEM

(57)Abstract:

PROBLEM TO BE SOLVED: To provide a resource allocation management system allowing a person in charge to be able to change an allocation plan and to perform the adjustment among persons concerned efficiently with a small load, in a resource allocation management for monitoring and controlling the use thereof by allocating finite resources to a plurality of jobs.

SOLUTION: When a resource allocation plan is changed by giving a point 0106 to a job requester, based on allocation plan data 0101 and an operation information on the day 0102, a plurality of allocation plan change plans are prepared 0115 and, based on the allocation plan change plans, point updating information 0105 showing the point variation of the job requester before and after the change plans are executed is calculated 0116. A coordination part 0114 selects an optimum allocation plan change plan based on the point updating information, notifies the job requester of the optimum



allocation plan change plan and the point updating information and, based on the reply 0103 of approval or disapproval to the notification from the job requester, performs again the selection and notification of the change plan or determines the change plan to update the point based on a request history from the job requester up to the definition of the point updating information and change plan for the change plan.

LEGAL STATUS

[Date of request for examination]

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

[Date of registration]
[Number of appeal against examiner's decision of rejection]
[Date of requesting appeal against examiner's decision of rejection]
[Date of extinction of right]

Copyright (C); 1998,2003 Japan Patent Office

* NOTICES *

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

. This document has been translated by computer. So the translation may not reflect the original precisely.

2.**** shows the word which can not be translated.

3.In the drawings, any words are not translated.

CLAIMS

resource used in order to perform said job to two or more jobs of each which are the processing resource status information which shows the activation situation of each assigned resource, and memorize the number of jobs of the predetermined number according to said assigned resource, which should be performed, and said each of two or more jobs are received. As opposed to the A means to receive the change request to assignment of said resource, a means to acquire the allocation managerial system characterized by having a means to perform modification to said means which assigns a resource, and said each of two or more jobs A means to match and [Claim(s)] [Claim 1] Are the resource allocation managerial system which changes allocation of the by changing said number of jobs based on said resource status information The resource change request.

[Translation done.]

* NOTICES *

JPO and NCIPI are not responsible for any damages caused by the use of this translation.

1.This document has been translated by computer. So the translation may not reflect the original precisely.

2.**** shows the word which can not be translated.

3.In the drawings, any words are not translated.

DETAILED DESCRIPTION

Detailed Description of the Invention]

[000]

Field of the Invention] This invention relates to ** which distributes the resource for performing predetermined processing using a computer. In fields, such as traffic, production, PD, etc., such as spot management [in / in the inside of it / an airport], seat reservation of a train, staffing of a production site, and allocation of a delivery car The resource of finite is distributed to two or more jobs, and it is related with the computing system for specifically canceling contention of a resource about the technique and equipment which support the business (resource allocation management business) which supervises and controls the use by the calculating machine, adjusting the interest of job demand origin.

Description of the Prior Art] Hereafter, the spot management business in the airport in the aeronautical-navigation field is taken up as an example of resource allocation management business, and the conventional technique is explained.

[0003] A spot is the parking tooth space of the aircraft in an airport apron. Usually, the aircraft is parked at an apron to either of two or more spots, and carries out start dead works, such as getting on and off of a passenger, conveyance of a load, and oil supply, cleaning, check, there after arriving at an airport until it leaves again. The parking demand (spot demand) of the aircraft is received in advance from two or more airlines, and spot management business is roughly divided into the business (spot employment monitor business) which supervises the business (spot allotment plan creation business) which draws up the allotment plan of a spot, operation of (1) (2) aircraft, and a spot use situation. Here, a "resource" and an airline correspond to "the requiring agency" of a job, respectively. [need / the "job" of parking of the aircraft and a spot / for job execution / a spot demand]

[0004] In addition to these, computing the spot dues (parking tariff) of each airline based on a spot use track record depending on an airport is also included in a part of spot management business. Moreover, as for spot management, it is common that it is under jurisdiction of an airport commissioned company (public corporation), and the business is performed by the personnel of a commissioned company (public corporation).

[0005] The method which acquires the modification data and track record data of arrival of the aircraft and a start on real time through a communication line, updates spot allocation information based on it about the monitor method of the allocation situation of a spot of having used the computer, and is automatically outputted to graphical representation equipment is well-known (JP.5-151226.A). However, this does not automate formulation of a modification plan when trouble arises including adjustment with an airline to implementation of a plan, either. [0008] For turbulence of operation by weather aggravation, the delay of the various activities under parking, etc., other aircrafts of a use schedule of the same spot and interference, i.e., contention of a resource, were produced, and when it became clear that a spot cannot be used as planned, as it was the following, the plan was changed conventionally.

 Create a modification proposal manually based on experience, a person in charge taking various conditions into consideration.

(2) Use FAX, a telephone, etc. for the airline which becomes a candidate for modification, connect the contents of modification to it, and aim at deliberations and adjustment. Depending on the case, correction is manually added to a modification proposal in response to the claim from an airline.

(3) While approving a modification proposal as a formal spot allotment plan after adjustment and notifying to one's related posts, such as an airline and oil supply service, perform subsequent employment monitors based on this.

[000]

[Problem(s) to be Solved by the Invention] Although planned modification at the time of the employment monitor of spot management business generally follows the above-mentioned flow, it is rare that a modification proposal is approved by whenever [-] in the case of the inquiry to an airline, a claim comes out from an airline to the contents of modification, and adjustment often runs into difficulties in many cases. This had become a person's in charge big burden in the conventional spot management business.

[0008] Sudden spot modification of employment that day is not desirable for every airline in order to cause planned modification of a staff and equipments in connection with various activities, such as oil supply and cleaning. For example, naturally the situation that the **** schedule of the oil supply car which moves in the inside of the vast apron of an airport is out of order, and re-communication for correction and worker of a schedule is needed with spot modification is considered that each airline wants to avoid if possible. Such various demerits that spot modification causes are the fundamental factors accompanying adjustment of a modification proposal in difficulty.

[0009] In addition to this, that it cannot adjust smoothly has a problem also in the technical side face in the conventional spot management.

(1) There is no clear policy of planned modification. That is, the person in charge is performing creation of the conventional modification proposal manually, and a much claptrap element is strong. Therefore, creation of the rational modification proposal in alignment with a clear policy an airline is satisfactory was difficult.

(2) There is no consideration of fairness in planned modification. For example, suppose that the situation of choosing A company or B company as the object of spot modification in the case of modification proposal creation arose. In A company, delay of operation turbulence and an activity causes [many] planned modification in many cases. On the other hand, B company does to operation and an activity being exact and almost not becoming the cause of planned modification. In this case, although it could be said to be decision with fair choosing A company as an object of spot modification when other conditions were completely the same, such consideration always was not expectable by claptrap handicraft like (1). Moreover, since it also set like the adjustment fault and the consciousness of fairness was lacked, only the claims of a specific airline are accepted as a result and the situation that other airlines received disadvantageous profit might happen.

(3) There is no suitable communication means between persons in charge. Since a limitation was in the capacity to tell correctly an intention of the contents of modification and a person in charge, only by the telephone or FAX, it was inconvenient to perform complicated adjustment efficiently.

[0010]. As mentioned above, although the trouble was explained by making spot management business of the aeronautical-navigation field into an example These are not what specialized only in spot management business, and set seat reservation of a train, staffing of a production site, allocation of a delivery car, etc. in fields, such as traffic, production, and PD. the business which distributes the resource of finite to two or more jobs, and supervises the use — in case it is, and contention of a resource is canceled, adjusting the interest of job demand origin, it is the problem which is widely common.

[0011] The purpose of this invention solves the above-mentioned trouble in connection with resource allocation management, and is to offer the resource allocation managerial system using a computer with a person in charge able to perform modification of an allotment plan, and adjustment between the persons concerned efficiently by the small load.

based on employment information, two or more allotment plan modification proposals are created demand origin before and behind modification proposal operation, and the optimal allotment plan reply of the acknowledgement from job demand origin, or not recognizing, selection and a notice Means for Solving the Problem] In order to solve the above-mentioned technical problem, this modification proposal is chosen based on point update information. The optimal allotment plan modification proposal and point update information are notified to job demand origin, based on of a modification proposal are performed again, or a modification proposal is decided, and the invention gives the point to job demand origin. In case a resource allotment plan is changed, on a resource allotment plan and the day. Compute the point update information of the job point is updated.

[0013] from the point current in the job demand origin which caused (1) planned modification in came out other than this and had resource modification is added to the current point, is carried calculation of point update information -- subtracting -- (2) -- the job demand origin which out and determines the point after planned modification.

[0014] In selection of a modification proposal, the point gap after planned modification chooses the smallest allotment plan modification proposal preferentially using the point update information over a modification proposal.

Moreover, a modification proposal with few amounts of modification from a current plan creates (0015] from the point current in the job demand origin which caused (1) planned modification in demand origin which came out other than this and had resource modification is added to the current point. Furthermore, to the job demand origin which has answered un-recognizing by modification proposal decision, it subtracts from the present point and the point is updated. renewal of the point according to point update information -- subtracting -- (2) -- the job

[0016] Moreover, it has the record means of an image and voice, and direct negotiation with the draws up the allotment plan which gave priority to job demand origin with much point over little [0017] Moreover, it has a means to draw up the prior plan of resource allocation, and the point person in charge of the job demand origin using an image and speech information is enabled. ob demand origin.

[0018] Moreover, it has a means to compute the toll of a resource, and according to the point of iob demand origin, the point computes a resource toll by discounting the tariff of premium and job demand origin with much point for the tariff of little job demand origin.

operation of this invention is stated to a detail using drawing 21 R> 1 from drawing 1 by making the spot management business of the airport in the aeronautical-navigation field applicable to [Embodiment of the Invention] Below, the spot managerial system which is the gestalt of

showing operation of the aircraft of a planned implementation daily allowance day, and a spot use suitably told to a person in charge through the output section 0112. Conversely, from a person in modification proposal based on the requiring agency reply data 0103 obtained from the allotment information calculation section 0116, and the terminal unit by the side of an airline (job demand origin). The renewal section 0117 of the claim point updates the claim point based on the claim point update information of the settled modification proposal. From the employment Monitoring the employment Monitoring Department 0111 supervises whether based on the spot allotment [0021] The block diagram of the example of this invention is shown in <u>drawing 1</u>. In <u>drawing 1</u> situation. A controller 0114 is started, when the employment Monitoring Department detects plan modification proposal 0104 obtained through the modification proposal creation section Department 0111 and a controller 0114, the information about a monitor and adjustment is plan data 0101, there are any abnormalities in the employment information 0102 on the day [0020] First, the gestalt of the 1st operation is explained using <u>drawing 14</u> from <u>drawing 1</u>. charge, the control information about a monitor and adjustment tells to the employment abnormalities and the need for planned modification arises. A controller 0114 adjusts a 0115, the claim point update information 0105 acquired through the claim point update

Monitoring Department 0111 and a controller 0114 through the input section 0113.

. 0022] The configuration which realizes the gestalt of this operation to <u>drawing 2</u> is shown. What 0203, storage 0202, and an input unit 0204 to the computer 0201, in order to realize the gestalt of this operation. In addition, a computer 0201 may be the object of output unit 0203 grade and is necessary is just to use what connected with the airline terminal unit 0205 and employment information offer equipment.0206 through the network device what connected an output unit

memory. What is necessary is just to have sufficient capacity, since program execution and data [0023] Stores 0202 may be not only magnetic storage but an optical disk, and semiconductor are stored in short.

and may be used for it combining them, or / any one] although the input device 0203 assumes 0204 assumes graphic display. That is, an output of the information which a computer 0201 has according to the actuation from a user. ***** { the number of them / other output units may [0024] ***** [the number of them / a keyboard and other input devices may be used for it, be used for it, and may be used for it combining them, or / any one] although the output unit the mouse. As for the input unit, 0203 should just have the function to receive information should be just possible.

receive the modification proposal and point update information which are transmitted from a spot devices are sufficient as it as long as transmission of the response by the side of the airline to a [0025] Employment information offer equipment assumes that from which DTAX (domestic-airmodification proposal is possible. For example, the liquid crystal panel equipped with the switch for a response in which network connection is possible may be used. Even if it is the dedicated traffic information processing relay system), FIS (flight information system) of each airline, etc. manager side, and may show them to the person in charge by the side of an airline, and other device manufactured in order to carry out this invention, the function of the above peripheral equipped with input units, such as graphic display, a mouse, and a keyboard, at least, it may can acquire the operation situation and spot operating condition of the aircraft on the day. [0026] Although the airline terminal unit 0205 assumes the computer for network clients devices should just be satisfied.

are stored in the store 0202. Furthermore, the program performed in each processing section is storage here. Moreover, employment information offer equipment 0206 and the requiring agency reply data 0103 are transmitted for the employment information 0102 through a network from modification proposal 0104, the claim point update information 0105, and the claim point 0106 stored in storage 0202. Storage 0202 may be one storage physically, or may be two or more [0027] With the gestalt of this operation, the allotment plan data 0101, the allotment plan the airline terminal unit 0205 on the day, respectively.

[0028] The DS of spot allotment plan data is shown in drawing 3. Each line of a table expresses apron to spot ** from 10:30 to 11:55. Thus, allocation of a parking spot is performed in advance example, the party eye of drawing means that Airline AA parks the aircraft of its company at an number of a demand", "the airline of a requiring agency", an "inbound flight name", the "ETA" the spot allocation to a spot demand and it. the item -- the order from the left --- "the serial in allotment plan creation business to all the aircrafts using an airport, and it is collected as and an "outbound flight name", the "ETD", and an "allocation spot" --- it comes out. For allotment plan data 0101.

ordinate expresses the spot in an airport. The part in which the part to which the mask 0402 was [0029] The employment Monitoring Department 0111 supervises whether based on the allotment termination information on (1) aircraft, the modification information on the operation schedule of (2) aircrafts, and the modification information on the work program under (3) parking at least on transmitted through a network from employment information offer equipments, such as DTAX the day. Drawing 4 is a chart format which is an example of the transfer format of a spot use situation. The axis of abscissa of drawing expresses the time zone on the 1st, and an axis of and FIS, and transmits the use situation of a spot to a person in charge serially through the plan data 0101, there are any abnormalities in the employment information 0102 on the day output section 0112. The employment information 0102 includes spot beginning-of-using /

which uses the same equipments in connection with it is also overdue, the arrow head of drawing Department. The white bar in a chart means a spot demand, for example, a bar 0401 can be read given does not have a part [finishing / operation] and a mask expresses a part for the Planning trouble produced to turbulence and planned execution in a chart format. Arrival delay occurs to things stand, the spot demand and interference of BB company which are due to use the same inbound flight name and the right-hand side of the notation drawn on the interior of each bar floorexecution. As for drawing 5, operation of the aircraft shows an example of the situation which if the aircraft of Airline CC uses spot ** from 12:30 to 14:00. Moreover, left-hand side is [an the facilities of Airline AA for weather aggravation, and since the ETD of the outbound flight means being back postponed by the parking time amount of spot **. Consequently, the way (0030) The employment monitor business 0111 not only transmits a spot use situation to a person in charge, but performs the check of whether there is any trouble in future planned outbound flight names. The boundary parts of a mask part and a part without a mask mean current time, and move rightward with transition of time amount in the chart top. spot will be produced.

proposal to the operation turbulence of drawing 5. The spot demand of BB company assigned to (0031) Drawing 6 is an example of the planned modification proposal to the operation turbulence of drawing 5. The spot demand of CC company assigned to spot ** is moved to spot **, and a spot ** is moved to spot **, and a spot demand of AA leading to modification is moved to spot modification proposals with few jobs (spot demand) which change resource (spot) allocation so **. Thereby, generating of interference is avoidable like the point. Thus, generally two or more interference is avoidable. Moreover, drawing 7 is another example of the planned modification modification proposals are considered besides two examples shown previously, they need migration of any spot demand nearby [many]. Two previous modification proposals are spot demand of AA leading to modification is moved to spot **. Thereby, generating of planned modification proposals exist. In the above-mentioned example, although some that clearly from drawing 5.

(0032) The event leading to planned modification is partly considered besides the turbulence of with delay and a consecutive spot demand by the carrying-in activity of a load being prolonged operation shown previously. Delay of the activity under parking that departure time interferes from a schedule is the typical example.

was creating the modification proposal manually based on experience in consideration of various above, when abnormalities occurred, in the conventional spot management, the person in charge modification proposal automatically through the modification proposal creation section 0115, it conditions. On the other hand, in this invention, when the employment Monitoring Department 0111 detects abnormalities, while a controller 0114 is started and a controller 0114 creates a (0033) Although two or more modification proposals were generally considered as mentioned communicates with the terminal unit by the side of an airline, and a modification proposal is adjusted semi-automatically.

(0034) Below, actuation of the controller 0114 in this example is explained using the processing modification proposal 0104 of drawing 1 is obtained. The DS of an allotment plan modification flow of drawing 8 . First, in step 0801, modification proposal creation processing is performed through the modification proposal creation section 0115 of drawing 1, and the allotment plan proposal is the same as that of the allotment plan data 0101 of drawing 1.

operation turbulence, a spot demand "AA10-AA11" of AA is the cause of modification. Next, in a spot 0902, other interference moves the spot demand X to fewest spots. It means that there are few spot demands which overlap that there is least interference. If there is an empty spot which (0035) The outline of this processing is explained using the flow of drawing 9. In step 0901, the spot demand which caused modification first is given to drawing, and it is temporarily set to X. The spot demand leading to modification produces other spot demands and interference, as a can arrange X without lapping with other spot demands at all, it will serve as fewest spots of result of the time of day of arrival or a start being changed. In the example [drawing 5] of

(0036) In the case of the example of drawing 5, although the candidates of a migration place are

spot demand which cannot move, and interference since it is under operation is excepted from a respectively. However, in order to move the spot demand which produced interference to other spot demands by subsequent processings, an operation settled or the spot which produces the spot **, **, and **, wherever it may move X, interference is produced with one spot demand,

[0037] If X is moved to spot ** in the case of the example of <u>drawing 5</u> , since it is under parking supposing there are no conditions of candidate narrowing-down *****, a candidate will become 0905, an element is set into one drawing from Set S, and it is temporarily set to Y. At step 0906. spot ** or **. Any one of the candidates of these is chosen, and X is moved. Next, in step 0903. migration place. In addition, when there are size of the aircraft which can be parked at an apron, interference, since the modification proposal which can be carried out was obtained, processing will progress to step 0909, and it is confirmed whether a new interference arose by migration of Y. When a new interference arises, the dissolution of return and interference is again continued is ended. When interference arises, it progresses to step 0904, all spot demands of those other considered as Set S. the spot demand which produced interference when X was moved to spot empty class, and if it is not empty class, it will return to step 0905 again. If S is empty class, it as previously carried out to X, other interference moves Y to fewest spots. At step 0907, the modification proposal which can be carried out was obtained when there was no interference. than a modification cause that have produced interference in the plan are collected, and it is ** in the example of drawing 5 -- a spot demand "CC10-CC11" of CC company -- it is only to step 0904. However, in creating Set S anew in step 0904, it excepts all spot demands (the caused (it is known since the mask is applied to the middle), spot ** will be excepted from a a class of facilities, and conditions of an usable time zone, the number of the candidates of a spot demand Y which moved is excepted from Set S. At step 0908, it inspects whether S is one and the set of the single element which makes this an element is set to S. Next, in step as a result of moving X, it is confirmed whether interference arose or not. When there is no now and a spot demand and interference of BB company while doing a ground activity are migration place is narrowed down based on those conditions. In the example of drawing 5. modification cause X is included) that moved from the candidate for creation. Since the processing is ended.

[0039] Explanation of return adjustment processing is continued to <u>drawing 8</u>. At step 0802, the modification proposal creation processing. The claim point update information calculation section the claim point update information about the target modification proposal using the current claim 0116 is a part which manages the are recording and updating of the claim point 0106, computes 10. The claim point is a numeric value given to each airline which is the demand origin of a spot new interference may not arise as much as possible is created. Therefore, thereby, there are as (0038) In this modification proposal creation processing, the modification proposal which can be modification proposal to create. Moreover, it does not limit to the above-mentioned processing, carried out by moving the spot demand which interference produced to another spot so that a calculation section 0116 of drawing 1 based on the modification proposal obtained by previous other scheduling technique, and the modification proposal creation processing itself may build point, and returns a result to a controller. The example of the claim point is shown in drawing and meta-heuristics, such as the mathematical technique, such as linear programming and a network-planning method, SHIMYURE Ted annealing, and a genetic algorithm, etc. may apply claim point update information 0105 is computed through the claim point update information moves can create the fewest possible modification proposals. In addition, since two or more modification proposals by replacing how choosing the migration place with, and carrying out much as possible few amounts of modification, namely, the number of spot demands which convention is defined neither about how to choose a migration place nor the number of a migration places of a spot demand generally exist at step 0902 or step 0905, two or more the modification proposal creation processing with possible few amounts of modification. multiple-times activation of the above-mentioned processing are created. Especially a

[0040] In CC company, in the example of drawing 10, BB company has [AA] the 39-point claim

2005/10/11

adjustment fault of the frequency which (1) airline caused planned modification, the contents and expensive point. Moreover, the point of the airline which did not accept the modification proposal the frequency which covered the effect of (2) planned modification (migration of a spot demand), and planned creation in many operation turbulence, activity delay, etc. in the past in many cases point 46 point 58 point. In addition, the notation in drawing "AL" means an airline (Air Line). The its contents, and (3) modification proposals, and the claim was accepted, and the numeric value created in the spot administration becomes low. When the difference of the claim point of each is relatively low, and the airline which moved the spot demand of its company to other spots in disadvantageous profit relatively, and the claim point means conversely that the low airline has fairness between airlines intuitively. For example, the point of the airline which caused a lifting which fluctuate based on the contents, and it is the barometer which plans the degree of the claim points are the frequency where set in the past modification proposal creation like the modification proposal. Conversely, if the difference of the claim point is large, it means that company is small, it means that each company has received fair treatment in creation of a unfairness has arisen. In other words, as for the high airline, the claim point has covered many cases for the operation turbulence of the other company etc. has the conversely received advantageous treatment as compared with the other company.

shown in <u>drawing 6</u>, based on the claim point of <u>drawing 10</u>. By carrying out this proposal shows reduces the difference of the claim point of each company clearly as compared with modification that the points of AA which is a cause airline which caused modification decrease in number, and in claim point update information calculation processing decrease in number, after computing the modification proposal modification before, and after modification, and the whole claim point after before. Thus, the claim points of the airline which became the cause which causes modification the claim point of CC shrine which moves a spot for the operation turbulence by AA increases conversely. Since the remaining airline BB companies do not have fluctuation of the point, this modification. Drawing 1111 expresses the result of having evaluated the modification proposal information consists of standard deviation of change of the point airline which moves spot in modification may increase conversely, the standard deviation of the whole claim point is [0041] The example of point update information is shown in drawing 11. Point update point after modification so that the claim point of the airline which receives effect by calculated and a result is returned to a controller.

(0042) The outline of claim point update information calculation processing is explained using the p2 are equal. When p1 and p2 are equal, since modification of the point is unnecessary, it deletes processing flow shown in drawing 12. First, at step 1201, all spot demands included in a plan are proposal is acquired, and it is temporarily set to p2. At step 1205, it is confirmed whether p1 and from S, and it is temporarily set to X. At step 1203, the spot assigned to X in the current plan is acquired, and it is temporarily set to p.l. At step 1204, the spot assigned to X in the modification (0043) At step 1207, it investigates whether A is already registered into update information. If A X from Set S and progresses to step 1212. When p1 differs from p2, it progresses to step 1206, empty class. If it is not empty class, progress processing will be again repeated to step 1202. In is registered, it will go to step 1209 directly. In not registering, it progresses to step 1209, after modification, the point after updating of Airline A will be subtracted in step 1211. When A is not progresses to which of step 1210 and step 1211, after processing progresses to step 1212 and the case of empty class, it progresses to step 1214, it calculates the standard deviation of the registering A into update information in step 1208. In the case of registration, the point before deletes X from Set S. It progresses to step 1213 after that, and investigates whether Set S is investigates whether X is a spot demand of the cause of modification, and if it is the cause of collected, and it is considered as Set S. At step 1202, a spot demand is given to one drawing the cause of modification, the point after updating of A is added in step 1210. Also when it changing into the initial value of the point after modification is set up. At step 1209, it and the airline of the demand origin of X is taken out, and it is temporarily set to A. claim point after modification, and ends processing.

0044] Although especially the concrete numeric value of an increment and reduction of the ooint in step 1210 and step 1211 is not specified, the regular point is deducted from a

magnitude of effect. Moreover, distribution of the point may be proportioned in the magnitude of modification cause airline, and you may make it distribute the point to the airline which covered having so large that it being changed into the spot left distantly based on the physical distance affected it instead of a fixed value etc. in proportion to a certain scale which measures the the effect which it was not equal and was covered. It is defined as the magnitude of effect effect equally. Moreover, the value to deduct may define the number of the airlines which of the original spot and the spot after modification effect etc.

0045] Drawing 13 is the result of computing claim point update information to the modification proposal of drawing 6 and drawing 7 to the operation turbulence of drawing 5 using the claim point of drawing 10. Here, we deducted ten points from the cause airline, and decided to

0046] It is ***** or ** by which fairness is improved from drawing 13 whichever both standard distribute the point to the influenced airline equally.

modification proposal compared with modification before. Especially, the standard deviation of a proposal 1 is sharply small compared with 1.5 and modification before, and the extensive deviation has become small as for the proposal 1 and the proposal 2 and they choose a mprovement of fairness can be expected rather than a proposal 2.

are transmitted through a network. In the terminal unit side of an airline, the received information proposal shown to an airline in step 0803 is chosen. The proposal chosen here chooses the thing service. From all airlines, when consent is not obtained, it progresses to step 0806. At step 0806, the count of accumulation of the refusal which can be set like the identifier and adjustment fault airline side obtained by the inquiry. In a spot management equipment side, branching is judged at presentation] is removed to an airline). Next, in step 0804, the modification proposal chosen as is displayed on a person in charge, and it looks for the decision. In response, a person in charge chooses either "acceptance" or "refusal", and transmits to spot management equipment refusal of a modification proposal through a network with it is notified to the terminal unit of an which has the smallest standard deviation of the claim point included in update information, i.e., of marking, i.e., an applicable airline, to the airline which notified the reply of "refusal" is stored the terminal unit (0205 of drawing 2) of a related airline and its claim point update information with a formal proposal, and this is notified to its related posts, such as an airline and oil supply obtained, the modification proposal which progressed to step 0807 and was chosen is decided in the exclusive field of storage. The purport to which the claim points decrease in number by through a network. The requiring agency reply data 0103 of drawing 1 total the reply from the step 0805 based on requiring agency reply data. When the consent from all related airlines is computing point update information to a modification proposal at step 0802, one modification previously are again set as step 0803 a presentation settled, and a modification proposal is the proposal that the improvement of fairness is the biggest, (however, a thing ${\mathbb I}$ finishing ${\mathbb I}$ (0047] Explanation of return and adjustment processing is continued to drawing 8. After applicable airline. And return and the modification proposal which the airline was shown chosen again.

(0048] After deciding a modification proposal in step 0807, in step 0808, the claim point is updated through the renewal section 0117 of the claim point of drawing 1, and the whole adjustment processing is ended.

adjustment processing. Although especially the detail of subtraction processing is not specified, a update information. At step 1404, X is removed from S and S judges whether it is empty class in decided in step 1401, all the airlines included there are assembled and it is considered as Set S. proportion to the count of refusal. The whole point update process is ended now. As mentioned step 1405. In empty class, when there is nothing, renewal of the return point is again continued 0049] The contents of the claim point update process are explained using the processing flow processing of the claim point is performed to all the airlines that did marking in the process of Fig. of drawing 14. First, from the claim point update information of the modification proposal Next, in step 1402, an airline is set into one drawing from S, and it is temporarily set to X. At fixed value may be subtracted uniformly and you may make it subtract a big numeric value in step 1403, it changes into the value after updating the claim point of Airline X according to to step 1402. When S is empty class, it progresses to step 1406. At step 1406, subtraction

2005/10/11

above, an adjustment fault seasons the claim point update information of the settled modification proposal with (marking to an airline), and the claim point is updated

0050] Next, the 2nd example of this invention is explained using <u>drawing 17</u> from <u>drawing 15</u> R> of drawing 2) through a network. In addition, it has all the configuration sections with which the airline which has the hope of correction to a modification proposal, and the person in charge of drawing 15, a controller 0114 is the processing section similar to the thing of the same sign of incorporated by the photography section 1511, and transmits it to an airline terminal unit (0205 5. The 2nd operation gestalt is equipped with the means for which the person in charge of the extends the functional configuration of the 1st operation gestalt, as shown in drawing 15. In modification proposal is adjusted. The functional configuration of the 2nd operation gestalt drawing 1. An image and voice data 1501 accumulate speech information in the image list spot management negotiate directly with an image and voice in the process in which a 1st operation gestalt shown in drawing 1 is equipped.

Monitoring Department 0111 and a controller 0114, and adjustment, the output section 0112 also transmits the image and voice data from the photography section 1511 to a person in charge processing of a controller 0114 differ from the 1st operation gestalt, about this, the detail is through a controller 0114 like the 1st operation gestalt. Moreover, although the contents of 0051] However, in addition to the information about the monitor from the employment explained later. Other parts are the same as that of the 1st operation gestalt.

configuration of the 1st operation gestalt, and connects a camera 1601, a microphone 1602, and panel, etc. The specification of other devices is the same as that of the 1st operation gestalt of microphone, and a loudspeaker, and assumes the computer which can transmit and receive an mage and voice data and by which network connection was carried out, a liquid crystal notice (0053] Moreover, the airline terminal unit 0205 of <u>drawing 2</u> was equipped with input devices, a loudspeaker 1603 to the same computer as the computer 0201 of drawing 2 . Although the 0052] As shown in drawing 16, the configuration of the 2nd operation gestalt extends the such as graphic display, a mouse, and a keyboard, upwards, is equipped with a camera, a camera 1601 assumes what can photo an animation, it may photo a static image. this invention.

[0054] Hereafter, the contents of processing of the controller 0114 in the 2nd example of this invention are explained using the processing flow Fig. of drawing 17

which shows step 0805 in drawing 8 from initiation is followed. At step 0805, it confirms whether perform direct negotiation, exchanging an image and speech information through a network using person in charge accept, you may enable it to cancel marking manually here. The notice of re-of modification proposal manually using input units, such as a mouse and a keyboard. If there is no obtained, it progresses to step 0807 of $\frac{drawing \ B}{drawing \ B}$, and the rest follows the same processing as have agreed with the modification proposal which all related airlines chose, when all consent is the flow of drawing 8. The person in charge of the airline which all consent progressed to step again notified of the corrected modification proposal and its claim point update information. At need for correction, nothing will be performed here. Next, in step 0802, the claim point update proposal, it returns to direct negotiation of step 1701 again. When the negotiation partner has agreed, it progresses to step 1705 and marking of a negotiation partner's airline is carried out [0056] Next, the 3rd example of this invention is explained using <u>drawing 18</u> R> 8 and <u>drawing</u> processing of drawing 12 explained previously. At step 1703, a negotiation partner's airline is only within the case where a manual correction arises. However, in a predetermined case, for example, when what has correction unavoidable at a certain reason, and a spot management (0055) First, the same processing as the adjustment processing of the 1st operation gestalt 1701 when not obtained, and has not agreed, and the person in charge of spot management information of the corrected modification proposal is computed. This is the same as that of negotiation partner. When a negotiation partner's airline does not agree with a modification step 1704, branching decision of processing is performed based on the answerback from a return and the corrected modification proposal is again performed to step 0804 after that. a camera microphone, respectively. In correcting a modification proposal as a result of negotiation with an airline as a result of direct negotiation, in step 1702, it corrects a

each aeronautical-navigation company. Rather than the airline which there was little claim point, allocation used as the base of a spot employment monitor in consideration of the claim point of i.e., received advantageous treatment in the process of the past planned modification and its 19. The 3rd operation gestalt is equipped with a means to draw up the prior plan of spot adjustment correctly, there is much claim point, namely, the airlines which covered disadvantageous profit draw up a plan to have been treated more favorably.

configuration of the 1st operation gestalt, as shown in drawing 18 . In drawing 18 , the claim point aeronautical-navigation company, the service condition of a spot, and an airline at least, and it is 1811. In addition, it has all the configuration sections with which the 1st operation gestalt shown same processing sections as the thing of the same sign of drawing 1 . In drawing up a prior plan, used for it as input data of the prior planned creation processing in the planned creation section basic data 1801 stores the spot use hope of a spot demand of various required data and each 0106, the allotment plan data 0101, and the employment Monitoring Department 0111 are the in drawing 1 R> 1 is equipped. The configuration of the 3rd operation gestalt has the same 0057] The functional configuration of the 3rd operation gestalt extends the functional function as the configuration of the 1st operation gestalt.

[0058] Hereafter, the contents of the prior planned creation processing in the 3rd example of this invention are explained using the processing flow Fig. of drawing 19

the spot which fills with step 1906 the spot service condition stored in the basic data 1801, such demand Y and which can be assigned, while satisfying the spot use hope of Airline X as much as [0059] First, in step 1901, all the airlines for a plan are assembled and it is considered as Set S. possible, generating of interference chooses the one fewest possible spot, and assigns the spot as classification of the size of a spot, a location, an usable time zone, and facilities, to the spot drawing, and it is temporarily set to X. At step 1904, a requiring agency extracts altogether the demand is given to drawing from Set H, and it is temporarily set to Y at one arbitration. Out of At step 1902, each airline in Set S is sorted according to the claim point which it has now. At spot demand which is X from input data, and considers it as Set H. Next, in step 1905, a spot step 1903, the head element (namely, element of max [point]) of a sort result is set into to the spot demand Y.

interference, it progresses to step 1909 directly. When interference arises, before progressing to [0060] At step 1907, it investigates whether interference occurs by allocation. When there is no drawing 9 which explained the allotment plan Y and for modification for the spot demand of the step 1909, in step 1908, interference is avoided by changing the plan in the middle of creation partially. This processing is realized by applying modification proposal creation processing of cause of modification previously as a plan in the middle of the present creation. Thereby, interference can be avoided, without changing the present plan as much as possible. the assigned spot demand Y in step 1909 — Set H — it removes clitteringly.

continued. Since all spot demands of Airline's X demand origin are allocation settled, in the case nvestigates whether it is empty class. Since the unsettled airline remains when it is not empty since the predetermined airline was processed and the allotment plan was obtained, the whole of empty class, X is removed from Set S, and it progresses to step 1912. At step 1912, Set S [0061] At step 1910, Set H investigates whether it is empty class. When it is not empty class, since the non-assigned spot demand remains, it returns to step 1905 again and processing is class, it returns to step 1903 again and processing is continued. In the case of empty class, processing is ended.

disadvantageous profit in the process of the past planned modification and its adjustment can be mathematical technique, such as linear programming and a network-planning method, SHIMYURE Ted annealing, and a genetic algorithm, etc. may be built with the application of other scheduling drawn up. In addition, the procedure of prior planned creation processing is not limited to this, [0062] Since priority is given from the high airline of the claim point and a spot is assigned by and as long as planned creation equivalent to this is possible, meta-heuristics, such as the the above-mentioned processing, a prior plan advantageous to the airline which covered

0063] Next, the 4th example of this invention is explained using drawing 20 R> 0 and drawing

2005/10/11

 $\overline{21}$ [0064] The 3rd operation gestalt is equipped with a means to compute accounting to having used the spot, i.e., the parking tariff of a spot, in consideration of the claim point of each aeronauticaldiscounting the parking tariff of the airline which covered disadvantageous profit rather than the airline which there was little claim point, i.e., received advantageous treatment in the process of navigation company. It computes a parking tariff by there being much claim point, namely, the past planned modification and its adjustment correctly.

configuration of the 1st operation gestalt, as shown in drawing 20 . In drawing 20 , the claim point resource, i.e., the toll of a spot, and stores the result in accounting information 2002. Accounting 0106 and the employment Monitoring Department 0111 are the same processing sections as the thing of the same sign of drawing 1. An investment return 2001 accumulates the spot operating experience of employment that day transmitted from the employment Monitoring Department, In information is information required in order to publish the bill of spot dues to each aeronautical— (0066) Hereafter, the contents of the resource toll calculation processing in the 4th example of operation gestalt shown in drawing I is equipped. The configuration of the 4th operation gestalt drawing 1). After considering the claim point based on the spot operating experience of each addition, the data format of an investment return is the same as allotment plan data (0101 of aeronautical-navigation company, the resource dues calculation section 2011 computes a discount/premium, etc. In addition, it has all the configuration sections with which the 1st 0065] The functional configuration of the 4th operation gestalt extends the functional navigation company, and contains the spot time for every airline, the toll, the rate of has the same function as the configuration of the 1st operation gestalt.

nvestment return, and this is temporarily set to T. At step 2104, the charge of basic parking of a spot is computed based on the total spot time. Generally, the charge of spot parking is decided one arbitration. At step 2103, the total spot time of Airline X is computed with reference to an (0067) First, in step 2101, all the airlines for accounting are assembled and it is considered as Set S. At step 2102, an airline is set into drawing from Set S, and it is temporarily set to X at according to the die length of parking time amount. The class of aircraft which used the spot depending on the case etc. may be taken into consideration. Therefore, the detail of this this invention are explained using the processing flow Fig. of drawing 21 processing follows the Ruhr of the airport for application.

average, consider as discount, and compute a rate in proportion to the magnitude of the distance 0068] next -- step 2105 -- the claim point of Airline X -- acquiring -- it -- using -- step 2106 -- setting -- application -- rate R (%) is computed. application -- a rate -- R is set to either of especially a convention -- the claim point -- relative -- application of a high airline -- a rate -calculation is lower than the average, consider as a premium, when conversely higher than the relative -- application of a low airline -- it is contingent [on becoming surely smaller than a a discount rate, i.e., less than 100% of value, and the rate of a premium, i.e., 100% or more of rate]. for example, the approach described below -- application -- a rate is computed. (1) value, according to the claim point. although the calculation approach does not carry out Compute the average of the claim point of an airline. (2) When the point of the airline for (rate of deviation) from the average.

calculated as x (minimum charge) (application rate), and it accumulates in accounting information. At step 2108, X is removed from Set S and it investigates whether the element remains in Set S claim frequency from job demand origin can be reduced, and the load in planned modification of a at step 2109. When the element still remains, return tariff calculation is continued to step 2102. each demand origin as a barometer which plans the degree of the fairness of job demand origin. demand origin leading to modification reduces the point produced increases the point Since the point gap chose preferentially the fair modification proposal by which it is shortened most, the (0069) application — after computing rate R (%), in step 2107, the parking tariff of Airline X is According to the gestalt of the 1st - the 4th operation mentioned above, the point is given to Under convention that the job demand origin which other resource modification whose job Processing is ended when tariff calculation is performed about a predetermined element. person in charge can be reduced,

present plan was created preferentially, similarly the claim frequency from job demand origin can [0070] Moreover, since the modification proposal with few amounts of modification from the [0071] Moreover, since it was made to perform creation and adjustment of a modification be reduced, and the load in planned modification of a person in charge can be reduced. proposal semi-automatically, a person's in charge load can be reduced.

,0073] Moreover, it has a means to draw up the prior plan of resource allocation, and since it [0072] Moreover, adjustment between persons in charge can be more flexibly performed by having established the direct negotiation means using an image and speech information.

decided to draw up the allotment plan to which the point gave priority to job demand origin with much point over little job demand origin, fairer resource allocation management can be performed. 0074] Moreover, since it decided to compute a resource toll by having a means to compute the oll of a resource and the point discounting the tariff of premium and job demand origin with much point for the tariff of little job demand origin, same more fair resource allocation management can be performed.

Effect of the Invention] according to this invention -- **** -- it becomes possible to perform illocation and modification of a resource efficiently.

Translation done.

JP,2002-230246,A [DESCRIPTION OF DRAWINGS]

* NOTICES :

JPO and NCIP1 are not responsible for any damages caused by the use of this translation.

This document has been translated by computer. So the translation may not reflect the original precisely.

2.*** shows the word which can not be translated.

3.In the drawings, any words are not translated.

DESCRIPTION OF DRAWINGS

Brief Description of the Drawings]

Drawing 1] It is the whole spot managerial system block diagram in this invention which is the gestalt of the 1st operation.

<u>Orawing 2]</u> It is drawing showing the configuration in this invention which realizes the gestalt of

Drawing 3] It is drawing showing the DS of the allotment plan data 0101 in drawing 1.

<u>Drawing 4]</u> It is drawing having shown the spot allocation situation in the chart format.

<u>Drawing 5]</u> It is drawing having shown the example of the operation turbulence generated during

Drawing 6] It is drawing showing an example of the planned modification proposal to the an employment monitor in the chart format

operation turbulence of drawing 5 in a chart format.

Drawing 7] It is drawing showing another example of the planned modification proposal to the operation turbulence of drawing 5 in a chart format.

Drawing 8] It is the detail block diagram of the controller 0114 in drawing 1

Drawing 9] It is drawing showing the processing flow of the modification proposal creation

processing 0801 in drawing 8.

[Drawing 10] It is drawing showing the DS of the claim point 0103 in drawing 1. [Drawing 11] It is drawing showing the DS of the claim point update information 0104 in <u>drawing 11] It is drawing showing the DS of the claim point update information 0104 in drawing 11] It is drawing showing the DS of the claim point update information 0104 in drawing 11] It is drawing showing the DS of the claim point update information 0104 in drawing 11] It is drawing the DS of the claim point update information 0104 in drawing the DS of the claim point update information 0104 in drawing the DS of the claim point update information 0104 in drawing the DS of the claim point update information 0104 in drawing the DS of the claim point update information 0104 in drawing the DS of the claim point update information 0104 in drawing the DS of the claim point update information 0104 in drawing the DS of the claim point update information 0104 in drawing the DS of the claim point update information 0104 in drawing the DS of the claim point update information 0104 in drawing the DS of </u>

Drawing 12] It is drawing showing the processing flow of the claim point update information

Drawing 13] It is drawing showing the example of application of claim point update information calculation processing 0802 in drawing 8

Drawing 14] It is drawing showing the processing flow of the claim point update process 0808 in calculation processing.

Drawing 15] It is drawing in this invention showing the 2nd configuration of the spot managerial system of the gestalt of operation.

[Drawing 16] It is drawing showing the configuration in this invention which realizes the gestalt of the 2nd operation.

Drawing 17] It is drawing in this invention showing the processing flow of adjustment processing of the gestalt of the 2nd operation. (BR) [Drawing 18] It is drawing in this invention showing the 3rd configuration of the spot managerial system of the gestalt of operation. Drawing 20] It is drawing about the configuration of the spot managerial system of the gestalt of

Drawing 19] It is drawing showing the processing flow of the prior planned creation section 1811

the 4th operation in this invention.

[Drawing 21] It is drawing showing the processing flow of the resource dues calculation section 2002 of drawing 20

Description of Notations]

0101: Allotment plan data, 0102:that day employment information, 0103:demand former reply data, a 0104:allotment plan modification proposal, 0105:claim point update information, the

0113:input section, a 0114:controller, 0115:modification proposal creation section, the 0116:claim 0106:claim point, the 0111:employment Monitoring Department, the 0112:output section, the point update information calculation section, 0117: renewal section of the claim point

2/2ページ

[Translation done.]

特開2002-230246 (11)特許出顧公開每号

(P2002-230246A)

(43)公開日 平成14年8月16日(2002.8.16)

| (51) Int CL. | | 数 别配导 | P.1 | デーマコート (参考) |
|--------------|-------|--------------|---------------|-------------|
| G06F | 17/60 | 162 | G 0 6 F 17/60 | 162A |
| | | .112 | | 1122 |
| | | 124 | | 124 |
| | | 332 | | 332 |
| | | | | |

審査請求 未請求 謝求項の数1 0L (全14 頁)

| | | | and the second s |
|------------|----------------------------|-------------------|--|
| (21)出面等导 | 特[数2001-30381(P2001-30381) | (71) 出國人 60005168 | 000005108 |
| | | | 株式会社日立製作所 |
| (22) 州(26日 | 平成13年2月7日(2001.2.7) | | 東京都千代田区神田駿河台四丁月6番地 |
| | | (72) 発明者 | 佐藤 遊広 |
| | | | 神奈川県川島市蘇生区王福寺1099番地 桥 |
| | | | 式会社日立製作所システム開発研究所内 |
| | | (72)発明者 | 神田 千佳代 |
| | | | 東京都千代田区三崎町2丁目9番18号 桥 |
| | | | 式会社日立システムテクノロジー内 |
| | | (72)発明者 | 佐々木 敏郎 |
| | | | 神奈川県川崎市麻生区王禅寺1099番地 名 |
| | | 1 | 式会社日立製作所システム関発研究所内 |
| | | (74)代理人 | (74)代理人 100075096 |
| | | | 井理士 作田 原夫 |
| | | | |

リソース割当管理システム (54) [発野の名称]

理において、担当者が小さな負荷で効率的に割当計画の 変更及び関係者間の調整をおこなうことが可能な、リソ 【概題】本発明の目的は、複数のジョブに有限のリソー スを配分し、その利用を監視・制御するリソース割当智 一ス割当管理システムを実現することにある。

元に通知し、左記通知に対するジョブ要求元からの承認 または非承認の回答0103に基づき、変更案の遺択と通知 に対するポイント更新情報と変更繁殖定までのジョブ要 【解決手段】ジョブ要求元にポイント0106を付与し、リ ソース割当計画を変更する際、割当計画データ0101と当 日選用情報0102に基づいて複数の割当計画変更案を作成 0115し、左配割当計画変更案に基づき、変更案実施前後 のジョブ要求元のポイント変化であるポイント更新情報 0105を算出0116し、超整的0114において左記ポイント更 新情報に基づき最適な割当計画変更緊を選択し、左記段 過な割当計画変更繁とポイント更新情報とをジョブ要求 を再びおこなうか、または変更案を確定して左配変更案 状元からの回答種屈に魅力をポイントを更新する。

A.58 ġ

【簡求項1】実行すべき処理である複数のジョブそれぞ れに対して前配ジョブを実行するために用いるリソース の割当てを変更するリソース割当管理システムであっ 特許請求の範囲

前配複数のジョブそれぞれに対して、リソースを割り当 てる手段と、

前配複数のジョブそれぞれに対して、割り当てられた前 **記リソースに応じた所定数のジョブ数を対応付けて記憶** する手段と、 前記リソースの割り当てに対する変更要求を受け付ける

割り当てられた各リソースの実行状況を示すリソース状 祝慎報を取得する手段と

前記リソース状況情報に基づいて、前記ジョブ数を変更 することにより、前配変更要求に対する変更を実行する 手段とを有することを特徴とするリソース割当管理シス

【発明の詳細な説明】

₹ L.

0001]

限のリソースを配分し、その利用を監視・制御する業務 (リソース割当管理菜務)を計算機で支援する手柱及び を、ジョブ要求元の利曹関係を顕整しつつ解消するため 【発明の属する技術分野】本発明は、所定の処理を実行 5。その中でも、空港におけるスポット管理、列車の座 交通・生産・物流等の分野において、複数のジョブに有 するためのリソースを計算機を用いて配分する異に関す 席予約、生産現場の要員配置、配送車両の割当て、等、 装置に関するものであり、具体的にはリソースの競合 の計算機システムに関する。

[0002]

【0003】スポットとは、空港エプロン内における航 【従来の技術】以下、リソース割当管理兼務の具体例と して、航空分野における空港内のスポット管理業務を取 り上げ、従来技術について説明する。

ト管理業務は、(1)複数の航空会社から航空機の駐機 要求(スポット要求)を事前に受け付けて、スポットの 務)、(2)航空機の運航及びスポット利用状況を監視 する業務(スポット運用監視業務)、に大きく分けられ る。ここで、スポット要求は航空機の駐機という「ジョ ブ」、スポットはジョブ遂行に必要な「リソース」、航 **空機の駐機スペースのごとである。通常、航空機は空巻** に到着してから再び出発するまでの間、複数のスポット 給油・滑揚・点検等の出発準備作業を実施する。スポッ のいずれかに駐撥し、そこで依答の乗降、荷物の搬送 割当計画を作成する棋務(スポット割当計画作成棋 **空会社はジョブの「要求元」にそれぞれ対応する。**

8 **||金|| を算出することもスポット管理兼務の一郎に含ま** 【0004】これらに加えて、奴港によってはスポット 利用実績に基づいて各航空会社のスポット使用料(駐機

痛であることが一般的であり、その類筋は管理会社(公 9 れる。また、スポット管理は空椎管理会社(公団)

【0005】計算機を利用したスポットの割当状況の監 **田)の職員によりおこなわれる。**

後聞に自動的に出力する方式が公知である(特閒平5-15 1226)。 しかしながら、これは計画の英施に支障が生じ し、それを基にスポット割当情報を更新してグラフ扱示 現方式に関しては、通信回線を介して航空機の到着と出 た場合の変更計画の作成を、航空会社との関盟も含めて 発の変更データ及び実績データをリアルタイムに取得 自動化するものではない。

作類の遅れ等のために、同一スポットを利用予定の他の った場合、従来は以下のようにして計画の変更をおこな 【0006】天候悪化による逆航の乱れや駐閥中の各種 **抗空機と干渉、すなわちリソースの観合を生じ、スポッ** トの利用を計画どおりに実施できないことが明らかにな っていた。

(1) 担当者が様々な条件を考慮しつつ経験に基づき手 4. 単で変更聚の作成を行う。

前空会社からのクレームを受けて変更異に手作旗で修正 **夢を用いて連絡し、協議・顕監を図る。場合によっては** (2) 変更対象となる航空会社に変更内容をFAXや電話 を打える。 (3) 腐盤後、変更案を正式なスポット割当計画として 昭可し、航空会社や給油サービス等の関連部署に通知す ると共に、以降の適用監視をこれに基づいておこなう。 [0000]

用監視時における計画変更は、一般的に上記の流れを辿 るが、航空会社への問い合わせの際に一度で変更繁が承 **迟されることはまれであり、変更内容に対して前空会社** い。これが従来のスポット管理算務における担当者の大 **【発明が解決しようとする課題】スポット管理集務の過** からクレームが出てしばしば悶蟄が難航することが多 きな負担となっていた。

8

【0008】 選用当日の突然のスポット変更は、給油や 滑掃等の各種作業に関わる人員や機材の計画変更を引き 起こすため、どの航空会社にとっても好ましいことでは ない。例えば、スポット弦更によって空港の広大なエブ 予定の修正と作類員への再連絡が必要となるといった状 祝を、各航空会社ができる限り避けたいと考えるのは当 然である。スポット変更が引き起こすこのような様々な デメリットが、変更案の調整に困難が伴う根本的な要因 ロン内を移動する給油車両の巡廻予定が圧ってしまい、

は、これに加えて従来のスポット管理における技術的な 【0009】 腐盤をスムーズに行うことができないの

町面にも問題がある。

(1) 計画変更の明確なポリシーがない。すなわち、従 多分に場当たり的な要素が強い。そのため、航空会社が 来の変更案の作成は担当者が手作頼でおこなっており、

8

€

(2) 計画変更に公平性の配慮がない。例えば、変更蒸作成の際に、A社とB社のいずれかをスポット変更の対象に選ぶ状況が生じたとする。A社は運航乱れや体類の選延が多く計画変更の原因となることが多い。一方、B社は運航・作業共に正確で計画変更の原因になることがらほとがとする。この場合、他の条件が全く同一ならばスポット変更の対象としてA社を選択することがらばスポット変更の対象としてA社を選択することがではてるような配置を常に関行することができなかった。また、顕述を程においても公中性の意識が欠切していることから、結果として特定の前空会社が不利益を被してしたはかりが受け入れられ、他の前空会社が不利益を被るという表況が起こり場た。

(3) 担当者間の適切なコミュニケーション手段がない。 気話やFAXだけでは、変更内容や担当者の意図を正確に伝える能力に限界があるため、投雑な調整を効率良くおこなうには不便であった。

【0010】以上、航空分野のスポット管理集務を例として問題点を説明したが、これらはスポット管理集務だけに特化したものではなく、列車の監解予約、生産現場の要員配置、配送車両の割当て、等、交通・生産・物流等の分野において、複数のジョブに有限のリソースを配分し、その利用を監視する業務おいて、リソースの総合をジョブ契求元の利車関係を調整しつつ解消する際に広く共通する問題である。

【の011】 本発明の目的は、リソース割当管理に関わる上記の問題点を解決し、担当者が小さな負荷で効率的に即当計画の変更及び関係も間の顕整をおこなうことが可能な、計算協を利用したリソース割当管理システムを提供することにある。

[0012]

「関題を解決するための手段】上記録題を解決するため に、本発明は、ジョブ要求元にポイントを付与し、リソース割当計画を変更する際、リソース割当計画と当日選 用情報に基づいて投数の割当計画変更素を作成し、変更 案実施前後のジョブ要求元のポイント更新情報を算出 し、ポイント更新権報に基づき最適な割当計画変更素を 選択し、最適な割当計画変更繁とポイント更新情報とを ジョブ要求元に適如し、ジョブ要求元からの承認または 非承認の回答に基づき、変更築の選択に適知を再びおこ なうか、または変更案を確定しポイントを更新する。

[0013]ボイント更新情報の算出においては、 (1)幹回落型の原因となったジョブ要求記は現在のボイントから成算し、(2)それ以外でリゾース変更があったジョブ要求記は現在のボイントに哲謀、して計画変現後のボイントを役定する。 【0014】変更案の遺択においては、変更案に対する ポイント更新情報を用いて、計画変更後のポイント格差 xx

が最も小さい創当計画変更菜を優先的に選択する。 (0015)ボイントの運新においては、ボイント更新 情報に従い、(1)計画変更の原因となったジョブ要求 元は現在のボイントから成算し、(2)それ以外でリソース変更があったジョブ要求元は現在のボイントに加算 する。さらに、変更楽値定までに非承認を回答したこ があるジョブ要求元に打しては、現在のボイントがら隣 其してボイントを理解する。また、現在計画からの変更

【0016】また、映像・音声の記録手段を備え、映像 及び音声愉報を用いたジョブ要求元の担当者との直接交 移を可能とする。 【0017】また、リソース創当の事前計画を作成する手段を購え、ポイントが少ないジョブ要求元よりも、ポイントが多ないジョブ要求元よりも、ポイントが多いジョブ要求元を優先した創当計画を作成す

【0018】また、リソースの使用料金を貸出する手段を増え、ジョブ要求元のポイントに応じて、ポイントが少ないジョブ要求元のギイントに応じて、ポイントが多いジョグ要求元の料金を割増し、ポイントが多いジョブ要求元の料金を割引いてリソース使用料金を買出す

[6100]

【発明の実施の形態】以下では、航空分野における空港のスポット管理業務を適用対象として、本発明の実施ののスポット管理業務を適用対象として、本発明の実施の形態であるスポット管理システムについて図1から図21を用いて詳細に述べる。

【0020】まず、第1の実権の形態について図1から図14を図14を開いて説明する。

前空会社 (ジョブ要状元) 側の端末装置から得られる要 伝えられる。逆に担当者からは、入力部0113を介して監 烱盤郎0114は、変更案作成郎0115を介して得られる創当 う。クレームポイント更新部0117は、确定した変更察の クワームポイント 更新位執に基づき クレームポイントを 更新する。運用監視的0111と調整的0114からは、監視及 び調整に関する情報が出力部0112を介して担当者に適宜 規及び調整に関する制御情報が運用監視部0111と調整部 図1において、運用監視部の111は、スポット割当計画テ **一タ0101に基づき、計画実施日当日の航空機の運航及び** スポット利用状紀を表す当日運用情報0102に異常がない かどうかを監視する。運用監視部が異常を検知し、計画 **||画変更築0104と、クレームポイント更新情報算出部の|** 【0021】図1に、本発明の実施例の構成図を示す。 変更の必要が生じた場合には、調整部0114を起動する。 状元回答データ0103に基づいて変更案の調整をおこな 16を介して得られるクレームポイント更新情報0105と

【0022】図2に、本実施の形塊を実現する機器構成を示す。本実施の形塊を実現するためには、計算機0201に出力装置0203、配燈装置0202、入力装置0204、を接続したものを、航空会社檔末装置0203、通用値報接供装置

0206とネットワーク機器を介して接接したものを用いればよい。なお、計算機0201は、出力装置0203等と一体の物であってもかまわない。

【0023】配倍装置0202は、磁気配停装置に限らず、 光ディスクや半導体メモリであってもよい。要はプログラムの実行やデータを格納するために充分な容置を備えていました。 【0024】人力装置の2014、マウスを想定している が、キーボードや他の入力装置を用いても良いし、それ らを組み合かせて用いても、またどれか1つでも良い。 人力装置は202014、利用者からの操作に応じて情報を受 け付ける機能を有しておればよい。出力装置202014、グ ラス・ックディスプレイを想定しているが、他の出力装 置を用いても良いし、それらを超み合わせて用いても、 またどれか1つでも良い。つまり、計算機20201が有する 情報を出力可能なものであればよい。

【0025】運用僧報提供装置は、DTAX(国内航空交通 情報処理中能システム)、各航空会社のFIS(フライト 情報システム)等、当日の航空機の運航状税とスポット 便用状況を取得可能なものを想定している。

【0026】航空会社端末装置02054、グラフィックディスプレイとマウスやキーボード等の入力装置を少なくとも個えたネットワーククライアント用の計算機を認定しているが、スポット管理者側から送信される変更祭とボイント更新情報を受信して航空会社園の担当者に提示し、変更繁に対する航空会社園の店を送信可能なものならば他の開路でも構わない。倒えば、応各用のスイッチを値えたネットワーク接接可能な流晶パネルを用いても良い。本発明を実施するために製作した専用装置であっても、上述のような周辺被認の機能が充足されていれ。

とを意味する。その結果、このままでは同じスポットを 使用する予定のBB社のスポット要求と干渉を生じること

[0027] 本契縮の形盤では、配貸装置0202には、到当計画データ0101、割当計画変型第0104、クレームボイント9106が格納されている。さらに、配貸装置0202には、各処理部で実行するプログラムが格納されている。ここで配貸装置で変けするプログラムが格納されている。ここで配貸装置であってもよい。また、当日通用債額0102は適用債稅提装置の2006、要求元回各データ0103は前位全針結末装置0205から、ネットワークを介してそれぞれ送信される。

構造を示す。表の各行は、スポット要求とそれに対するスポット割当を表す。その項目は左から順に、「要求の 面し番号」、「要求元の航空会社」、「到額便名」と 「到益予定時刻」、「出発便名」と「出発予定時刻」、 そして「割当てスポット」、である。例えば図の一行目 は、航空会社Mが自社の航空機を10時30分から11時55分 迄スポット①に駐鎖することを意味する。このように空 港を利用する全ての航空機に対して駐機スポットの割当 てが削当計画作成業務において専削におこなわれ、割当

は、左側が到敬便名、右側が出発便名である。マスク節 ないかどうか監視し、出力部0112を介してスポットの利 (1) 航空機のスポット使用開始・終了情報、(2) 航 空機の運航予定の変更情報、(3)駐捌中の作業予定の 変更情報、を少なくとも含む。 図4は、スポット利用状 元の伝達形式の一倒であるチャート形式である。 図の歯 軸は1日の時間帯、縦軸は空港内のスポットを表す。マ 的分は計画的分を表す。チャート内の白いパーはスポッ ト要求を放味し、例えばパー0401は、航空会社CCの航空 機が12時30分から14時までスポット②を使用すると疑み 取ることができる。また、各パーの内部に描かれた配号 【0030】 選用監視業務0111は、担当者にスポット利 用状況を伝達するだけでなく、将来の計画送行に支障が ないかどうかのチェックもおこなう。 図5は、航空機の 道航が乱れ、計画遂行に支障が生じた状況の一例をチャ **一ト形式で示したものである。図の矢印は、天候題化の** ため航空会社AAの便に到警避延が発生し、それに伴い同 じ機材を使用する出発便の出発予定時刻も遅れることか ら、スポット①の駐権時間が後ろにずれ込んでしまうこ トワークを通じて送信される当日選用情報0102に異常が スク0402が施された部分は実施済の部分、マスクのない 【0029】 湖田監視部の111は、割当計画データ0101に 時間の推移と共にチャート上を右方向へ移動していく。 基づき、DTAXやFISといった運用情報提供装置からネッ 分とマスクなしの部分の境界部分が現在時刻を意味し、 用状况を担当者に逐次伝達する。当日週用惰報0102は **計画ゲータ0101としてまとめられる。**

(0031] 図6は、図5の通航乱れに対する計画変更 繁の一例である。スポット©に創当てられた広柱のスポット要求をスポット®に移し、変更原因となったAA社の スポット要求をスポット®に移動する。これにより干務 の発生を回避できる。また、図7は、図5の通報乱れに 対する計画変更薬の別の例である。スポット®に割当て 54た配社のスポット要求をスポット®に削出て 54た配社のスポット要求をスポット®に問当て 3。これにより先と回線に干移の発生を回避でき。こ な、これにより先と回線に干移の発生を回避でき。こ のように計画変更楽は一般的に複数存在する。上記の例 では、先に示した2つの例以外にも変更深はいくつか考 えられるが、それらはいずれもより多くのスポット要求 の移動が必要である。図5から明らかなように、先の2 つの変更奏は、リソース(スポット)創当てを変更する 【0032】計画変更の原因となるイベントは、先に示した通航の乱れの他にもいくつか考えられる。荷物の嵌入作業が予定より長引くことで出発時刻が遅れ、後狭のスポット野栄と干渉する、といった鞋房中の作類の通道

S

9

その典型的な例である。

て変更繁を自動的に作成すると共に、航空会社側の端末 た場合、担当者が做々な条件を考慮して経験に基づき手 作集で変更緊の作成をおこなっていた。これに対して本 発明では、運用監視館0111が異常を後出した場合、調整 邸0114を起動し、隅監邸0114が変更案作成部0115を介し 装置と通信をおこない、 変更案の調整を半自動的におこ 【0033】上記のように変更薬は一般的に複数考えら れるが、従来のスポット管理においては、異常が発生し

【0034】以下では、図8の処理フローを用いて本英 施例における阿盤郎0114の動作を説明する。まずステッ プ0801において、図1の変更案作成部0115を介して変更 案作成処理をおこない、図1の割当計画変更案0104を得 る。割当計画変更聚のデータ構造は、図1の割当計画デ ータ0101と同一である。

説明する。まずステップ0901において、変更原因となっ 因となったスポット要求とは、到籍や出発の時刻が変更 **要求「ANI0-ANII」が変更原因である。次にスポット090** 2において、スポット要求Xを他との干渉が曇も少ないス になった結果、他のスポット要求と干渉を生じたもので ある。図5の運航乱れの例においては、M社のスポット スポットがあるならば、それが干渉の最も少ないスポッ 【0035】この処理の概要を、図9のフローを用いて ポットに移動する。干渉が最も少ないとは、里なり合う たスポット要求を取出し、それを仮にXとする。変更原 スポット要求の数が最も少ないということを意味する。 他のスポット要求と全く血ならずにXを配置可能な空き

【0036】図5の例の場合は、移動先の候補はスポッ るため、実施済、もしくは実施中のため移動が不可能な スポット要求と干渉を生じるスポットは候補から除外す 干渉を生じたスポット要求を他のスポット要求に移動す ト② ③ ④であるが、Xをどこに移動してもスポット要 **坎!個とそれぞれ干渉を生じる。ただし以降の処理で、**

のでそれがわかる) ことから、スポット回は移動先から ト要求と干渉を起こす(マスクが途中までかかっている は、それらの条件に基づいて移動先の候補の数を核り込 む。図5の例において、候補校込みの他の条件がないと すると、候補はスポット図かのとなる。これらの候補の チェックする。干渉がない場合には、実施可能な変更案 すると、現在駐閥中で地上作業を実施中の邸社のスポッ どれか」つを選択してXを移動する。次にステップ0903 において、Xを移動した結果、干渉が生じたかどうかを 【0037】図5の例の場合は、スポット②へXを移動 除外する。これに加えて、駐機可能な航空機のサイズ、 は、ステップ0904へ進み、計画の中で干渉を生じてい 便の種類、使用可能時間帯といった条件がある場合に が得られたので処理を終了する。干渉が生じた場合に

ソームポイントを利用して対象の変更緊についてのクレ 【0038】この変更案作成処理では、干渉が生じたス ポット要求を、新たな干渉ができるだけ生じないように 上配処理を複数回実行することで複数個の変更案を作成 する。移動先の選び方や作成する変更築の個数について は特に規定は定めない。また、変更案作成処理自体も上 **ーリングや遺伝的アルゴリズムといったメタヒューリス** ティクス等、他のスケジューリング手法を応用して変更 【0039】図8に、戻り闢盤処理の説明を続ける。ス テップ0802では、先の変更案作成処理で得られた変更案 に魅力でれ、図1のケアームボイント

更新権

独耳出的01 ント0106の薔積と更新を管理する部分であり、現在のク 図10ドケワーコポイントの図がドヤ。 ケワーコポイン トは、スポット要求の要求元である各航空会社に対して 段素の集合を5とする。次にステップ0905において集合5 いら要素を1つ取出し、それを仮にYとする。ステップ0 0/生じなかったかどうかをチェックする。 新たな干渉が 生じた場合には再びステップ0904へ戻り、干渉の解消を **並する場合には、移動した全てのスポット要求 (変更原** 別のスポットへ移動することで実施可能な変更案の作成 をおこなう。したがって、これにより変更量ができるだ け少ない、すなわち移動するスポット要求の数ができる だけ少ない変更案を作成することができる。なお、ステ 設には複数存在するので、その移動先の選び方を代えて 配の処理に限定するものではなく、線形計画法やネット クレームポイント更新情報算出館0116は、クレームポイ **一ムポイント更新情報を算出し、閲覧的に結果を返す。** 場合、干渉を生じたスポット要求はCC社のスポット要求 は、移動したスポット要求Yを集合Sから除外する。ステ ップ0902やステップ0905ではスポット要求の移動先が一 16を介してクレームポイント更新情報0105を算出する。 変更原因以外のスポット要求を全て集めてそれを集 干渉が最も少ないスポットに移動する。ステップ0907で **量ができるだけ少ない変更案作成処理を構築して良い。** fiSとする。図5の例においてXをスポット@に移動した 306では、先にXに対しておこなったように、Yを他との ップ0908では、Sが空集合であるかどうかを検査し、空 集合でなければ再びステップ0905へ戻る。Sが空集合な らばステップ0909へ進み、Yの移動によって新たな干渉 **残ける。ただしステップ0904において改めて集合5を作** AXを含む)を作成対象から除外する。干渉がない場合 には実施可能な変更案が得られたので処理を終了する。 [CC10-CC11] ただ1つであり、これを要殊とする単一 ワーク計画法等の数理的手法、シミュレーティッドア 与えられる数値である。

ントを持っている。なお図中の配号「AL」とは航空会社 (Air Line) を放味する。クレームポイントとは、過去 【0040】図100週では、AA社は58ポイント、BB 社は 4 6 ポイント、CC社は 3 9 ポイント 0 クワームポイ の変更案作成において、(1)航空会社が計画変更を引き

ば、クレームポイントが相対的に高い配換会社は不利益 た航空会社は逆にポイントが高い。また、スポット管理 部門で作成した変更案を受け入れなかった航空会社のポ い場合は、変更紫の作成において各社が公平な扱いを受 けていることを意味する。逆にクレームポイントの楚が 大きければ不公平が生じていることを表す。言い換えれ **を抜っており、逆にクレームポイントが他社と比較して** し、計画作成の原因となることが多かった航空会社のポ イントは相対的に低く、他社の運航乱れ等のために自社 のスポット要求を他のスポットへ移動することが多かっ イントは低くなる。各社のクレームポイントの楚が小さ 低い航空会社は有利な扱いを受けていることを意味す

のクレームポイント会体の標準偏替から構成される。図 がないため、これにより変更前と比較して各社のクレー ムポイントの楚は明らかに紹小する。このように、クレ 更によって影響を被る航空会社のクレームポイントが逆 に増加するように変更後のポイントを算出した上で、ク レームポイント全体の標準偏差を計算して調整的に結果 【0041】図11にポイント更新情報の例を示す。 ポ 航空会社の変更前と変更後のポイントの変化と、変更後 11は、図100クワームポイントに魅力いて、図6に 示す変更繁を評価した結果を表している。この緊を実施 することにより、変更を引き起こした原因前空会社であ ることがわかる。残りの航空会社BB社はポイントの変動 **一ムポイント更新情報算出処理では、変更を引き起こす** 原因となった航空会社のクレームポイントが減少し、姿 イント更新情報は、変更案においてスポットを移動する るA社のポイントが成少し、A社の運航乱れのためにス ポットを移動するCC社のクレームポイントが逆に増加す

に進み、Xの要求元の航空会社を取出してそれを仮にAと ムポイント更新情報算出処理の概要を説明する。まずス テップ1201では、計画に含まれる全てのスポット要求を **集め、それを集合Sとする。ステップ1202ではSからスポ** ット要求を1つ取出し、それを仮にXとする。ステップ1 203では、現在の計画においてXに割当てられたスポット を仮にp2とする。ステップ1205では、p1とp2が等しいか どうかをチェックする。 p1とp2が移しい場合にはポイ ントの変更は不要なので、集合SからXを削除してステッ ブ1212へ進む。p1とp2が異なる場合にはステップ1206 【0042】図12に示す処理フローを用いて、クレー **更緊においてXに割当てられたスポットを取得し、それ** を取得し、それを仮にplとする。ステップ1204では、

四盤過程においてクレームが受け入れられた知度とその 内容、に基づいて増減する数値であり、直影的には前空 会社間の公平さの度合いを図るパロメータである。例え **起こした頻度とその内容、(2)計画変更の影響(スポッ** ト要求の移動)を被った頻度とその内容、(3)変更案の ば、過去において運航乱れや作業遅延等を数多く起こ

る。空集合でなければ再びステップ1202へ進み処理を構 り返す。空集合の場合はステップ1214に進み、変更後の ップ1209へ直接向かう。未登録の場合は、ステップ1208 のスポット要求であるかどうかを購入、変更原因である D. 登録の際には、変更後ポイントの初期値に変更前の トを減算する。Aが変更原因でない場合は、ステップ121 テップ1212へ進み集台SからXを削除する。その後はステ 0においてAの更新後ポイントを加算する。ステップ121 ップ1213へ歯み、現合2が仕集合であるかどうかを聞く [0043] ステップ1207では、Aが型新情報に既に登 ポイントを設定する。ステップ1209では、Xが弦更原因 0、ステップ1211のどちらに進んだ場合も、処理後はス 母されているかどうかを聞べる。Aが登録符ならばステ においてAを更新情報に登録した後にステップ1209へ進 ならばステップ1211において航空会社Aの更新後ポイン クレームポイントの標準偏差を計算して処理を終了す

変更原因航空会社から規定のポイントを控し引き、影響 にしても良い。また、楚し引く値は固定値ではなく、彫 型を与えた航空会社の数等、影響の大きさを砌る何らか の尺度に比例して定めても良い。また、ポイントの分配 は均等ではなく、扱った影響の大きさに比例させても良 を抜った航空会社にそのポイントを均等に分配するよう い。影響の大きさとは、例えば、元のスポットと変更後 のスポットの物理的距離に基づいて、遠く離れたスポッ **【0044】ステップ1210とステップ1211におけるポイ** ントの増加・減少の具体的な数値は特に規定しないが、 トに変更になる钽影響が大きい等と定義する。

【0045】図13は、図100クレームポイントを用 影響を受けた航空会社にそのポイントを均等に分配する い、図5の運航乱れに対する図6及び図7の変更繁に対 してクレームポイント更新情報を貸出した結果である。 ここで、原因航空会社からは10ポイントを整し引き、 こととした。

標準偏差が共に小さくなっており、どちらの変更緊を遺 択しても公平性が改善されることわかる。特に毀1の標 【0046】図13より、踩1と斑2は弦更前と比べて 準偏楚は1.5と変更前に比べて大幅に小さく、緊2より も公平性の大幅な改善を明得できる。

[0047] 図8に戻り、調整処理の説明を続ける。ス 案を1つ選択する。ここで選択する祭は、更新情報に含 **すなわち公平性の改体が最も大きな案を選択する (ただ** し航空会社に対して提示済のものを除く)。次にステッ プ0804において、ネットワークを介して、関係する約章 会社の端末装置(図2の0205)に、選択した変更繁とそ のクレームポイント更新情報を送信する。航空会社の増 ナップ0802で変更聚に対してポイント更新情報を算出し た後に、ステップ0803において航空会社に提示する変更 まれるクレームポイントの標準偏差が最も小さいもの、

8

9

【の048】ステップ0807において変更案を確定した後に、ステップ0808において、図1のクレームボイント更新的11を介してクレームボイントの更新処理をおこない、閲覧処理全体を終了する。 【0049】クレームボイント更新処理の内容を図14の処理フロー図を用いて説明する。まずステップ401において、6億2した変更薬のクレームボイント更新機段か

の回数に比例して大きな数値を減算するようにしても良 イントの更新を挟ける。Sが空集台の場合はステップ140 い。これでポイント更新処理の全体を終了する。上記の の処理フロー図を用いて説明する。まずステップ1401に **後の値に変更する。ステップ1404では、XをSから取り除** ように、値定した変更案のクレームポイント更新情報に **おいて、GGにした変更案のクレームポイント更新情報か** る。空集合では無い場合は、ステップ1402に再び戻りポ マーク付けした全ての航空会社に対して、そのクレーム ポイントの核算処理をおこなう。核算処理の詳細は特に 規定しないが、一律に固定値を減算しても良いし、拒否 **関数過程(航空会社へのマーク付け)を加味してクレー** ら、そこに含まれる全ての航空会社を集めそれを集合S とする。次にステップ1402において、Sから航空会社を 更新情報に従って航空会社Xのクレームポイントを更新 き、ステップ1405においてSが空集合かどうかを判定す 6に遠む。ステップ1406では、韓盤処理の過程において 1 つ取出し、それを仮にXとする。ステップ1403では、 **なポイントを更新する。**

【0050】次に、本発明の第2の規権例について図」 5か5図17を用いて説明する。第2の実施形態は、変 更繁を開設する過程において、変更繁に対して修正の希 望を持つ航空会社の担当者と、スポット管理の担当者 が、映像および音声により直接交渉する手段を備えた。

激しない場合は再びステップ1701の直接交渉に戻る。交

ように、第1の英語形態の観能構成を拡張したものである。図15において、顕整師0114は、図1の同符号のものと類似の処理部である。映像・音声データ1501は、撮影断151によって取込まれた映像並びに音声情観を蓄積し、ネットワークを介して舒空会社構未装置(図2の02)に伝送する。この他、図1に示す第1の実施形態が儲える構成部を全て偏える。

【のの51】ただし、出力的の12は、第1の実施形態と同様に、選用監視的の111と精整的の114からの監視及び臂管に関する情報に加えて、撮形的1511からの映像・音声データも開整的014を介して担当者に伝達する。また、第1の実施形態とは顕整的014の処理内容が異なるが、これについては後でその詳細を説明する。その他の部分は第1の共権形態と同一である。

【0052】第2の実施形態の機器構成は、図16に示すように、第1の実施形態の機器構成を拡張し、図2の野口機の201と同一の計算機に、カメラ1601、マイク1602、スピーか1603を接続したものである。カメラ1601は、動画を撮影できるものを規定しているが、静止画像を撮影するものでも良い。

【のの53】また、図2の航空会社端末装置D205は、グラフィックディスプレイとマウスやキーボード等の入力装置を備えた上に、カメラ、マイク、スピーカを備え、映像・音声データの送受信が可能なネットワーク接続された計算機、液晶視示パネル等を想定する。その他の機器の仕様は本発明の第1の契維形態と同一である。

889年874年7月2月 - ジル西では5月一である。 【6054】以下、図17の処理フロー図を用いて、本発明の第2の実施例における調整的014の処理内容を設 おまる。

分岐判断をおこなう。交渉相手の航空会社が変更案に同 に同意したかどうかをチェックし、全ての同意が得られ た場合には図8のステップ0807へ進み、後は図8のフロ 合にはステップ1701へ進み、同意しなかった航空会社の 換しながら直接交渉をおこなう。直接交渉の結果、航空 ップ1702において、マウスやキーボード等の入力装置を 用いて変更案を手動で修正する。修正の必要がなければ で、修正した変更案のクレームポイント更新情報を算出 ント更新情報を再び交渉相手の航空会社に通知する。ス ナップ1704では、交渉相手からの返答に基づいて処理の 【0055】まず、開始からステップ0805までは、図8 に示す第1の実施形態の調整処理と同じ処理を辿る。ス テップ0805では、関係する全航空会社が選択した変更案 **一と同一の処理を辿る。全ての同意は得られなかった場** マイクを使いネットワークを介して映像・音声情報を交 会社との交渉の結果、変更案を修正する場合には、ステ ステップ1703では、修正した変更案とそのクレームポイ 担当者と、スポット管理の担当者が、それぞれカメラ・ する。これは先に説明した図12の処理と同一である。 ここでは何もおこなわない。次にステップ0802におい

砂相手が同意した場合は、ステップ1705に進み、手動移 正が生じた場合に限って交砂相手の耐空会社をマーク付 けする。ただし、所定の場合、例えば、移正が何らかの 理由でやむを得ないものとスポット管理担当者が認めた 場合には、ここでマーク付けを手動で解除できるように しても良い。その後は再びステップ0804へ戻り、移正した変更家の再通知をおこなう。

(0056]次に、本発明の第3の実施例について図18と図19を用いて説明する。第3の実施形能は、スポット運用監視のペースとなるスポット割当ての抑郁計画を、航空各社のクレームポイントを考慮して作成する手段を備えたものである。正確には、クレームポイントが少ない、すなわち過去の計画変更及びその顕整の過程において有利な扱いを受けた航空会社よりも、クレームポイントが多い、すなわち不利益を被った航空会社の方がより優遇された計画を作成するものである。

【0057】第3の実施形態の機能構成は、図18に示すように、第1の実施形態の機能構成を拡張したものである。図18において、クレームポイント0106、割当計画子ク0101、組用監視節0111は図1の同符号のものと同一の処理師である。基礎データ1801は、切削計画を作成するにあたって必要な各種データ1801は、切削型を作るだって必要な各種データ1801は、切削型を持つスポット使用が置、を少なくとも結判し、計画作成的1811における中間計画に依理型の入力データとして用いる。この他、図11に示す第1の実施形態の機器構成は、第1の実施形態の機器構成と可一の機能を有するものである。

【のの58】以下、図19の処理フロー図を用いて、本発明の第3の実施例における事前計画作成処理の内容を提明する。

対して、スポットのサイズ、位置、使用可能時間帯、便 の種別等の基礎データ1801に格納されたスポット使用条 スポット使用希望をできるだけ満足すると共に、干渉の 【0059】まず、ステップ1901において、計画対象の れを仮にYとする。ステップ1906では、スポット要求Yに 発生ができるだけ少ないスポットを1つ選択し、スポッ 全ての航空会社を集めてそれを集合Sとする。ステップI て抽出し、それを集合IIとする。次にステップ1905にお 件を満たす割当可能なスポットの中から、航空会社Xの 902では、現在持っているクレームポイントに従って供 いて、集合IIからスポット要求を1つ任意に取出し、そ は、嬰状元がXであるスポット要求を入力データから全 ソート結果の先頭要素(すなわちポイントが最大の要 合S内の各航空会社をソートする。ステップ1903では、 業)を取出し、それを仮にXとする。ステップ1904で ト要求がにそのスポットを割当てる。

【0060】ステップ1907では、創当によって千渉が発生するかどうかを弱べる。千渉がない場合にはステップ1909へ直接進む。千渉がない場合にはステップ1909へ直接進む。千渉が生じた場合には、ステップ1909

結果を課金債報2002に蓄える。課金債報は、航空各社に

スポット使用料の精求費を発行するために必要な情報で

へ進む的に、ステップ1908において、作成途中の計画を 的分的に変更することによって干渉を回避する。この処 程は、変更原因のスポット要求を、変型対象の割当計 画を現在作成途中の計画として、先に説明した図9の変 更繁作成処理を適用することにより現現する。これによ り、現在の計画をできるだけ変えることなしに干渉を回 避することができる。ステップ1909では、割当済のスポット要求がを集合計からから取り除く。

[0061] ステップ1910では、集合的が空境合かどうかを聞べる。空集合でない場合は、未割当てのスポット 野状が残っているのでステップ1905に再び戻って処理を推接する。空集台の場合は、航空会社が野状元のスポット野球は全て割当て済なので、集合3から水度収り除き ステップ1912では、集合5が空域 台かどうかを開べる。空集台ではい場合は、来処理の前空会社が残っているので、ステップ1913で引く、東台5が空域 理を推接する。空集台のは合は、所定の航空会社を処理 して割当計画が得られたので処理会を終すする。

【0062】上記の処理により、クレームポイントの商い館空会社から優先してスポットの割当をおこなうたか、過去の計画変型及びその関数の過程において不利性を被った他った他の変数の過程において不利性を被った。 なお、却計画信仰な理の手間はこれに限定するものではなく、これと同等の計画体等の数据的手法、ジミュレーティッドアニーリングや遺伝的アルゴリズムといったメラにコーリスティクス等、他のスケジューリング手法を適用して機長して良い。

【0063】次に、本発明の第4の実施例について図2 0と図21を用いて説明する。

(0064)期3の実施形態は、スポットを使用した事に対する課金、すなわちスポットの経過料金を、航空各社のクレームポイントを考慮して貸出する手段を備えたものである。正確には、クレームポイントが少ない、すなわち過去の計画変更及びその開整の過程において有利な扱いを受けた航空会社よりも、クレームポイントが多い、すなわち不利益を挺った航空会社の路積料金をディスカウントして駐機料金を厚め

(0065)類4の政権形態の機能構成は、図20に示すように、第1の政権形態の機能構成を拡張したものである。図20において、ケレームボイント0106、超用監視的111は、図1の同符号のものと同一の処理部である。通用実性2001は、超用監視部から送信される通用当日のスポット使用実体を覆積する。なお、通用実体のデータ形式は、割当計画データ(図100101)と同じである。リソース使用其存出的2011は、航空各社のスポット使用実体に基づき、ケレームボイントを加味した上で、リソース、すなわちスポットの使用料金を算出し、その

機器構成は、第1の実施形態の機器構成と同一の機能を /割増年等を含んでいる。この他、図1に示す第1の実 施形態が崩える構成的を全て備える。 第4の実施形態の あり、航空会社毎のスポット使用時間、使用料金、割引 有するものである。

【0066】以下、図21の処理フロー図を用いて、本 発明の第4の実施例におけるリソース使用科金算出処理

の内容を説明する。

ての航空会社を集め、それを集合Sとする。ステップ210 スポットの基本駐撥料を算出する。一般的に、スポット 駐機科は駐機時間の長さに応じて決められるが。協合に よってはスポットを使用した航空機の種類等も考慮する ことがある。したがって、この処理の詳細は適用対象の 2では、集合5から航空会社を1つ任意に取出し、それを **航空会社Xの総スポット使用時間を算出し、これを仮にT** とする。ステップ2104では、総スポット使用時間を基に 【0067】まずステップ2101において、課金対象の全 仮にXとする。ステップ2103では、運用実績を参照して 砂部のラーラ方はっ。

なうことができる。

一ムポイントを取得し、それを用いてステップ2106にお が相対的に高い航空会社の適用料率が、相対的に低い航 空会社の適用料率よりも必ず小さくなることを条件とす **ポイントに朽じて包引译、すなわむ100%米強の値が、包** その摩出方法は特に規定はしないが、 クレームポイント 【0068】次にステップ2105では、航空会社Xのクレ いて適用料率R(%)を算出する。適用料率Rは、クレーム **西母、すなわち100%以上の値のいずれかに庇められる。** (1) 哲位会社のケフームポイントの中も値を貸出す る。例えば以下に述べる方法で適用料率を貸出する。

る。(2) 専出対象の航空会社のポイントが平均値より し、科學を平均値からの隔たり(新韓率)の大きさに比 低い場合は割増し、逆に平均値より高い場合は割引きと **殴した暦田する。**

提携する。 所定の要素について料金算出をおこなった場 合は処理を終了する。上述した第1~第4の実施の形態 ス変更が生じたジョブ要求元はポイントを増やす、とい う規定の下で、ポイント格登が最も結まる公平な変更案 を優先的に選択するようにしたので、ジョブ要求元から のクレーム奴俊を低城し、担当者の計画変更における負 **一タとして各要求元にポイントを付与し、変更原因とな** [0069] 適用料率R(%)を算出した後に、ステップ21 (適用料率) として計算し、駅金情報に搭筒する。ステ ップ2108では、集合5からXを取り除き、ステップ2109で だ残っている場合には、ステップ2102に戻り料金算出を によれば、ジョブ要求元の公平さの度合いを図るパロメ したジョブ数状元はポイントを減らす、その他のリンー 集合Sに要素が残っているかどうかを調べる。要素がま 07において、航空会社Xの駐機料金を(基本料金)×

の処理フローを示す図である。 8 【0070】また、現在計画からの変更量が少ない変更

概を優先的に作成するようにしたので、同じくジョブ要 東元からのクレーム頻度を低減し、担当者の計画変更に おける負荷を低減することができる。

おこなうようにしたので、担当者の負荷を低減すること 【0071】また、変更案の作成及び調整を半自動的に

【0072】また、映像と音声情報を用いた直接交渉手 段を設けたことにより、担当者間の調整をより柔軟にお

【0073】また、リソース割当の事前計画を作成する 手段を備え、ポイントが少ないジョブ要求元よりも、ポ ることにしたので、より公平なリソース割当管理をおこ イントが多いジョブ要求元を優先した割当計画を作成す こなうことができる。

一ス使用料金を算出することにしたので、同じくより公 【0074】また、リソースの使用料金を算出する手段 し、ポイントが多いジョブ要求元の料金を割引いてリン を備え、ポイントが少ないジョブ要求元の料金を割増 平なリソース割当管理をおこなうことができる。

【発明の効果】本発明によれば、よろ効率よくリソース [0075]

の配分および変更を実行することが可能になる。 【図面の簡単な説明】

【図2】本発明における第1の実施の形態を実現する機 【図1】本発明における第1の実施の形態であるスポッ ト管理システムの全体構成図である

【図3】図1における割当計画データ0101のデータ構造 を示す図である。

器構成を示す図である。

【図6】図5の運航乱れに対する計画変更案の一例をチ 形式や示した図である。

【図5】 選用監視中に発生する運航乱れの例をチャート

トート形式で示す図である。

【図7】図5の選航乱れに対する計画変更案の別の例を チャート形式で示す図である。

【図9】図8における変更案作成処理0801の処理フロー 【図8】図1における調整部0114の詳細構成図である。 を示す図である。

(⊠4)

【図10】図1におけるクレームポイント0103のデータ 構造を示す図である。 【図11】図1におけるクレームボイント更新情報0104

【図12】図8におけるクレームポイント更新情報算出 処理0802の処理フローを示す図である。 のデータ構造を示す図である。

【図13】 クレームポイント更新情報算出処理の適用例

【図14】図8におけるクレームポイント更新処理0808 を示す図である。

|図15] 本発明における第2の実施の形態のスポット 管理システムの構成を示す図である

【図16】本発明における第2の実施の形態を実現する

【図17】本発明における第2の実施の形態の調整処理 機器構成を示す図である。

の処理フローを示す図である。

【図18】本発明における第3の実施の形態のスポット 【図19】図18の事前計画作成的1811の処理フローを **育理システムの構成を示す図である**

[図20] 本発明における第4の実施の形態のスポット

【図21】図20のリソース使用料算出的2002の処理フ 管理システムの構成を図である。 ローを示す囚である。


【符号の説明】


特開2002-230246

9

0101:割当計画データ、0102:当日通用情報、0103:要 邸、0115:変更案作成邸、0116:クレームポイント更新 **坎に回ねデータ、0104:創当計画效更殊、0105:クレー ムボイント囲矩信数、0106:クワームボイント、0111: 松松は出的、0117:クワームボイント世新的**








е

[88]

[882]



[88]

[图7]

カート オイント 58 88 46 38

₹

[810] 8 10

SIX型集合?

SからXを降く

4

ALLER-5HH

メピーカ

412

カメラ

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.